

## Prince George Forklift Training Course

Prince George Forklift Training Course - CSA and OSHA establish criteria for forklift safety training which meets existing standards and regulations. Anybody planning to use a forklift is required to successfully finish safety training prior to using whichever kind of forklift. The accredited Forklift Operator Training Program is intended to offer trainees with the practical skills and information to become a forklift operator.

There are forklift operation safety rules that should be followed pertaining to pre-shift checks, and regulations for lifting and loading.

Prior to a shift beginning, an inspection checklist needs to be completed and given to the Supervisor or Instructor. If whichever maintenance issue is discovered, the machine should not be utilized until the issue is dealt with. To be able to indicate the equipment is out of order, the keys need to be removed from the ignition and a warning tag placed in a spot which is seen.

Loading safety rules comprise checking the rating capacity on the forklift nameplate and knowing if the weight of the load falls within capacity. The forklift forks should be in the down position when the forklift is starting up. Remember that there is a loss of approximately 100 pounds carrying capacity for every one inch further away from the carriage which the load is carried.

Lifting must begin with the driver moving to a stopped position about three inches away from the load. The mast must then be leveled until it has reached a right angle with the load. Raise the forks to an inch beneath the slot on the pallet and drive forward. Next lift forks four inches. Tilt back the load to secure it for moving. Drive the lift in reverse if the load obscures frontal vision. Check behind and honk to warn other personnel. Never allow forks to drag on the ground.

The load should be loaded by the forklift in such a way that ensures the load is secure and would not create a hazard to other objects or people. Restraining loads is necessary for materials that could shift during transport and destabilize the forklift.

So as to prevent the shifting of drums, drums can be strapped together to lessen movement. Operators of forklifts must drive slowly when lifting liquids, to decrease instability in the forklift.